

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent Application of: H.M. Gallops, Jr.

Serial No.: 09/648,887

Group Art Unit: 3712

Filed: August 25, 2000

Examiner:

For: ARCHERY BOW WITH BOW SPEED  
SPECIFIC SIGHT PIN BLOCK

Attorney Docket No.: BEA-246

Commissioner for Patents  
United States Patent and Trademark Office  
Washington, D.C. 20231

**CERTIFICATE OF MAILING UNDER 37 CFR 1.8**

I hereby certify that this correspondence is being deposited with the U.S. Postal Service as First Class Mail in an envelope addressed to Commissioner for Patents, United States Patent and Trademark Office, Washington, D.C. 20231

*Jeanette Greenberg*  
Jeanette Greenberg

Date

*12/30/00*

Sir:

**INFORMATION DISCLOSURE STATEMENT**

In accordance with 37 C.F.R. §§ 1.56, 1.97 and 1.98, applicant, through counsel:

1. Herewith submits copies of the following patents and publication which may be material to the examination of the above-identified application:

**U.S. Patents**

<u>Number</u>	<u>Patentee</u>	<u>Date Issued</u>
2,332,080	N.F. Howe	October 19, 1943
2,998,652	E.J. Zielnski	September 5, 1961
3,310,875	R.J. Kowalski	March 28, 1967
3,579,839	R.J. Kowalski	May 25, 1971
3,822,479	R.J. Kowalski	July 9, 1974
4,543,728	R.J. Kowalski	October 1, 1985
5,442,861	P.M. Lorocco	August 22, 1995
5,560,113	M.A. Simo et al.	October 1, 1996
5,649,526	M. Ellig	July 22, 1997
5,682,871	R.J. Walk	November 4, 1997
5,685,081	M. Winegar	November 11, 1997
5,836,294	J.E. Merritt	November 17, 1998

Publication

Sheet showing Bear Field Model Premier hunting sight.

2. Herewith submits Form PTO-1449 "Information Disclosure Citation in an Application".

3. Submits the following comments concerning the above-identified patents and publication.

a. U.S. Pat. No. 2,332,080 discloses a pin block having fixed openings therein for mounting the pin sights.

b. U.S. Patent No. 2,998,652 discloses a bow sight that is adjustably mounted and movable for selectively mounting movable sights of different types.

c. U.S. Pat. No. 3,310,875 discloses an archery bow sight device having a plurality of sighting elements normally disposed out of the line of sighting and each of which is movable into the line of sighting.

d. U.S. Pat. No. 3,579,839 discloses an archery bow sight in which a sighting element is first moved into an approximate range and then into exact range position.

e. U.S. Pat. No. 3,822,479 discloses an archery bow sight having plural sighting elements each of which can be used for more than one range.

f. U.S. Pat. No. 4,543,728 discloses a bow sight having a pin support and guard structure permitting conversion of sighting pin configurations.

g. U.S. Pat. No. 5,442,861 discloses a sight assembly comprising light gathering fluorescent fiber.

h. U.S. Pat. No. 5,560,113 discloses a pin block having a number of vertically adjustable sight pins.

i. U.S. Pat. No. 5,649,526 discloses a pin block having a number of vertically adjustable sight pins.


j. U.S. Pat. No. 5,682,871 discloses an archery bow with openings in the riser.

k. U.S. Pat. No. 5,685,081 discloses an adjustable sighting pin.

l. U.S. Pat. No. 5,836,294 discloses a sighting device that is adjustably carried by a frame mounted to the bow.

m. The Bear Model Premier Hunting Sight shown on the attached sheet includes openings in the bow riser in which bow sights could be mounted.

Respectfully submitted,



Dated: December 20, 2000

---

Milton Wolson  
MALINA & WOLSON  
60 East 42<sup>nd</sup> Street  
New York, NY 10165  
(212) 986-7410  
Attorney for Applicant